| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|-----------|--------------------|
| 1 | 6594 | internet near5 advertis\$6 | USPAT; | 2004/04/08 15:12 |
| 1 | | | US-PGPUB; | |
| İ | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 2 | 284 | select\$4 near5 internet near5 advertis\$6 | USPAT; | 2004/04/08 15:15 |
| - | 20. | ociosta i monio internot monio activitado | US-PGPUB; | 200 110 1100 10.10 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| , | 19 | (actacked many intermed many adjustice) and (forwarded | USPAT; | 2004/04/08 15:14 |
| 3 | 19 | (select\$4 near5 internet near5 advertis\$6) and (forward\$4 | | 2004/04/06 15.14 |
| | | near5 advertis\$6) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | _ | | IBM_TDB | |
| 4 | 6 | (select\$4 near5 internet near5 advertis\$6) and (pop-up\$4 | USPAT; | 2004/04/08 15:15 |
| | | near7 advertis\$6) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 5 | 7 | (select\$4 near5 internet near5 advertis\$6) and (pop-up\$4 | USPAT; | 2004/04/08 15:17 |
| | | same advertis\$6) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | , |
| 6 | 638 | select\$4 near5 (internet web) near5 advertis\$6 | USPAT; | 2004/04/08 15:16 |
| ١ | 036 | Selectip4 flears (interfiet web) flears advertisps | | 2004/04/06 15.10 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | _ | | IBM_TDB | |
| 7 | 6 | (select\$4 near5 (internet web) near5 advertis\$6) and | USPAT; | 2004/04/08 15:16 |
| 1 | | ((select\$4 near5 internet near5 advertis\$6) and (pop-up\$4 | US-PGPUB; | |
| | | near7 advertis\$6)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 8 | 62 | (select\$4 near5 internet near5 advertis\$6) and (banner\$4 | USPAT; | 2004/04/08 15:17 |
| | | same advertis\$6) | US-PGPUB; | |
| | | , | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 9 | 61 | (select\$4 near5 internet near5 advertis\$6) and (banner\$4 | USPAT; | 2004/04/08 15:17 |
| | 01 | near9 advertis\$6) | US-PGPUB; | 2004/04/00 10:17 |
| | | Ticalo advertispo) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | | |
| | 50 | (d-t-b-s-s-fit | IBM_TDB | 0004/04/00 45:40 |
| - | 50 | (database\$1 near5 (quer\$3 search\$3)) and (result\$4 | USPAT; | 2004/04/08 15:10 |
| | | output\$4 data) near5 stor\$3 near5 non\$3 near5 relation\$4 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 4928 | "50" and (spread near5 sheet\$1) | USPAT; | 2003/10/09 15:02 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; |] |
| 1 | | | DERWENT; | i |
| | | | IBM TDB | 1 |
| _ | 8 | ((database\$1 near5 (quer\$3 search\$3)) and (result\$4 | USPAT; | 2004/01/06 16:33 |
| | 3 | output\$4 data) near5 stor\$3 near5 non\$3 near5 relation\$4) | US-PGPUB; | |
| | | and (spread near5 sheet\$1) | EPO; JPO; | |
| | | and (spread heard sheet) | DERWENT; | |
| | | | · | |
| | _ | 0400000 == | IBM_TDB | 0000/10/00 15 55 |
| - | 2 | 6408292.pn. | USPAT; | 2003/10/09 15:08 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 1 |

| - | 2 | 6434544.pn. | USPAT; | 2003/10/09 15:08 |
|---|--------|---|-----------|---------------------------------------|
| | | | US-PGPUB; | |
| 1 | | | EPO; JPO; | |
| | | | DERWENT; | |
| | - | | IBM_TDB | |
| - | 97 | (relation\$4 near5 quer\$4) same (non\$3 near5 relation\$4 | USPAT; | 2004/01/06 16:33 |
| | | near5 quer\$3) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 8 | ((relation\$4 near5 quer\$4) same (non\$3 near5 relation\$4 | USPAT; | 2004/01/06 16:33 |
| | | near5 quer\$3)) and ((multi\$5 near5 dimension\$1) (spread | US-PGPUB; | |
| | | near5 sheet\$1)) | EPO; JPO; | |
| | | · " | DERWENT: | |
| | | | IBM_TDB | |
| - | 8 | ((relation\$4 near5 quer\$4) same (non\$3 near5 relation\$4 | USPAT; | 2003/10/09 15:21 |
| İ | _ | near5 quer\$3)) and ((multi\$5 near5 dimension\$1) (spread\$3 | US-PGPUB; | |
| | | near5 sheet\$1)) | EPO; JPO; | |
| | | 110010 01100(41)) | DERWENT; | |
| | | | IBM TDB | |
| _ | 87 | ((relation\$4 near5 quer\$4) same (non\$3 near5 relation\$4 | USPAT; | 2004/01/06 16:33 |
| | | near5 quer\$3)) and (multi\$5 (spread near5 sheet\$1)) | US-PGPUB; | 200-70 1700 10.00 |
| | | Trodio quoripo)) and (mainipo (opreda nedio oneety 1)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 94893 | retriev\$4 near3 data relation\$4 near5 database\$1 | USPAT; | 2004/01/06 16:33 |
| - | 94093 | ि विराधिपूर्व । विवार प्रवाद विविधार्गाकृत । विवार प्रवादायवर्षक् । | US-PGPUB; | 2004/01/00 10.33 |
| | | | | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | (| IBM_TDB | 0004/04/00 40:05 |
| - | 59 | (retriev\$4 near3 data relation\$4 near5 database\$1) and | USPAT; | 2004/01/06 16:35 |
| | | (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 | US-PGPUB; | |
| | | database\$1 | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 57 | (retriev\$4 near3 data relation\$4 near5 database\$1) same | USPAT; | 2004/01/06 16:33 |
| | | (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 | US-PGPUB; | |
| | | database\$1 | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 57 | (retriev\$4 near3 data relation\$4 near5 database\$1) same | USPAT; | 2003/10/09 16:08 |
| | | ((stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 | US-PGPUB; | |
| | | near3 database\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 59 | (retriev\$4 near3 data relation\$4 near5 database\$1) and | USPAT; | 2003/10/09 16:17 |
| | | ((stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 | US-PGPUB; | |
| | | near3 database\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 22 | convert\$3 near5 data near5 spread\$6 near5 sheet\$1 | USPAT; | 2003/10/09 16:20 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 134398 | retriev\$4 near3 data relation\$4 near5 (database\$1 | USPAT; | 2004/01/06 16:35 |
| | | structure\$1) | US-PGPUB; | |
| | | , · | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 40 | (retriev\$4 near3 data relation\$4 near5 database\$1) and | USPAT; | 2004/01/06 16:34 |
| | | ((convert\$3 sav\$3 stor\$3) near5 data near5 spread\$6 near5 | US-PGPUB; | - - - - - - - - - - |
| | | sheet\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| L | L | L | 1 | <u> </u> |

| | 2016 | (quer\$4 search\$4) near5 relation\$3 near5 database\$1 | USPAT; | 2004/01/06 16:35 |
|---|-------|--|---|------------------|
| | | (4mary - and 1 mary US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | İ |
| | | | IBM_TDB | |
| - | 31 | ((quer\$4 search\$4) near5 relation\$3 near5 database\$1) and | USPAT; | 2003/10/10 10:04 |
| | Ì | ((stor\$3 sav\$3) near5 non\$4 near5 relation\$4 near5 | US-PGPUB; | |
| | | database\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | 163 | (/cuared accorded) moore relationed moore databaseed) and | IBM_TDB USPAT: | 2004/04/06 46:25 |
| - | 103 | ((quer\$4 search\$4) near5 relation\$3 near5 database\$1) and ((stor\$3 sav\$3) near9 array\$1) | US-PGPUB; | 2004/01/06 16:35 |
| | | ((Storys Savys) fiears arrays i) | EPO; JPO; | |
| | | | DERWENT: | |
| | | | IBM_TDB | |
| - | 2 | (((quer\$4 search\$4) near5 relation\$3 near5 database\$1) and | USPAT; | 2004/01/06 16:34 |
| | | ((stor\$3 sav\$3) near9 array\$1)) and (spread\$2 near4 | US-PGPUB; | |
| | | sheet\$1) | EPO; JPO; | |
| | | , | DERWENT; | |
| | | | IBM_TDB | |
| - | 4 | convert\$3 near5 database\$3 near10 (spread\$2 near4 | USPAT; | 2003/10/10 10:10 |
| | | sheet\$1) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 0000//0//0 /0 // |
| - | 2 | transfer\$4 near5 database\$3 near10 (spread\$2 near4 | USPAT; | 2003/10/10 10:11 |
| | | sheet\$1) | US-PGPUB; | |
| | | • | EPO; JPO; | |
| | | | DERWENT; | |
| | 0 | integrat\$4 near5 database\$3 near10 (spread\$2 near4 | IBM_TDB USPAT; | 2003/10/10 10:11 |
| _ | | sheet\$1) | US-PGPUB; | 2003/10/10 10:11 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | join\$4 near5 database\$3 near10 (spread\$2 near4 sheet\$1) | USPAT; | 2003/10/10 10:12 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 42898 | (retriv\$4 quer\$4 search\$4) near5 database\$1 | USPAT; | 2003/10/10 10:13 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | 1 |
| _ | 44534 | retriv\$4 quer\$4 search\$4 sql) near5 database\$1 | IBM_TDB USPAT; | 2003/10/10 10:13 |
| - | 44004 | ((Tell 1944 quel 94 Seal Cli 94 Sql) (Teal 3 databases) (| ' - | 2003/10/10 10.13 |
| | | | TINS_DGDIB. | |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | EPO; JPO; DERWENT; | |
| _ | 0 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB | 2004/01/06 16:35 |
| - | 0 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) | EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 0 | | EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/01/06 16:35 |
| - | 0 | | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; | 2004/01/06 16:35 |
| - | | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - | 0 21 | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/01/06 16:35 |
| - | | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; | |
| - | | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; | |
| - | | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | |
| - | 21 | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 non\$4 near3 relation\$4) | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/06 16:35 |
| - | | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 non\$4 near3 relation\$4) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | |
| - | 21 | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 non\$4 near3 relation\$4) | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; | 2004/01/06 16:35 |
| - | 21 | ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 non\$4 near3 relation\$4) ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; | 2004/01/06 16:35 |

| | T 8 I | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | USPAT; | 2003/10/10 10:23 |
|---|-------|--|-----------------------|--------------------|
| - | ° | ((stor\$3 sav\$3) near5 (spread\$4)) | US-PGPUB; | 2000/10/10 10.20 |
| | | ((Storps Savps) flears (Spready+/) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 32 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same | USPAT; | 2003/10/10 10:41 |
| | "- | ((stor\$3 sav\$3) near5 (spread\$7)) | US-PGPUB; | |
| | | ((atorito carto) ricario (apricare) // | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 110 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) and | USPAT; | 2003/10/10 10:50 |
| | ļ | ((stor\$3 sav\$3) near5 (dimension\$3 near5 array\$1)) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 319 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) and | USPAT; | 2003/10/10 10:50 |
| | | ((stor\$3 sav\$3) near5 (spread\$7)) | US-PGPUB; | |
| 3 | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 40 | ///t-im4 | IBM_TDB | 2003/10/10 10:43 |
| = | 19 | (((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) and | USPAT; US-PGPUB; | 2003/10/10 10.43 |
| | | ((stor\$3 sav\$3) near5 (dimension\$3 near5 array\$1))) and | EPO; JPO; | |
| | | (spread\$5) | DERWENT; | |
| | | | IBM TDB | |
| | 144 | (((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) and | USPAT; | 2004/01/06 16:35 |
| - | 144 | ((stor\$3 sav\$3) near5 (spread\$7))) and (array\$3) | US-PGPUB; | 200 110 1100 10.00 |
| | | ((Storpo Savyo) ricaro (Spready))) and (anayyo) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 975 | (sav\$3 stor\$3) near5 (data information) near5 non\$4 near5 | USPAT; | 2003/10/14 09:38 |
| | | (relation\$4 structure\$2) | US-PGPUB; | |
| | i | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 42010 | database\$1 near5 (quer\$3 search\$3) | USPAT; | 2003/10/14 09:39 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 170 | ((asy®2 star\$2) nearE (data information) nearE nen\$4 nearE | IBM_TDB USPAT; | 2003/10/14 10:06 |
| - | 179 | ((sav\$3 stor\$3) near5 (data information) near5 non\$4 near5 (relation\$4 structure\$2)) and ((database\$1 near5 (quer\$3 | US-PGPUB; | 2003/10/14 10.00 |
| | | search\$3))) | EPO; JPO; | |
| | | | DERWENT; | İ |
| | | | IBM TDB | |
| _ | 97 | (((sav\$3 stor\$3) near5 (data information) near5 non\$4 near5 | USPAT: | 2004/01/06 16:36 |
| | | (relation\$4 structure\$2)) and ((database\$1 near5 (quer\$3 | US-PGPUB; | |
| | 1 | search\$3)))) AND (array\$3 dimension\$1) | EPO; JPO; | |
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | DERWENT; | |
| | | | IBM_TDB | |
| - | 17 | ((sav\$3 stor\$3) near5 (data information) near5 non\$4 near5 | USPAT; | 2003/10/14 10:10 |
| | | (relation\$4 structure\$2)) same ((database\$1 near5 (quer\$3 | US-PGPUB; | |
| | | search\$3))) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 0000404444 |
| - | 4653 | database\$1 near5 conver\$4 | USPAT; | 2003/10/14 10:11 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 4 | (database\$1 near5 conver\$4) same (relation\$4 near10 non\$4 | USPAT; | 2004/01/06 16:34 |
| - | 4 | near5 relation\$4) | US-PGPUB: | 200-70 700 10.04 |
| i | | Thousand tolution by | EPO; JPO; | |
| | ŀ | | | |
| | | | DERWENT; | |

| - | 9451 | sql | USPAT; | 2003/10/14 10:16 |
|---|-------|--|-----------|------------------|
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 9 | sql same (spread\$4 near5 sheet\$3) | USPAT; | 2003/10/14 10:16 |
| 1 | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 22609 | (spreadsheet\$3 sprea\$4 near4 sheet\$3) | USPAT; | 2003/10/16 14:39 |
| 1 | | | US-PGPUB; | |
| 1 | | | EPO; JPO; | |
| 1 | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | l o | non\$4 near5 realtional near5 database\$2 | USPAT; | 2003/10/16 14:39 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 422 | non\$4 near5 relational near5 database\$2 | USPAT; | 2003/10/16 14:40 |
| | | The state of the s | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 18 | ((spreadsheet\$3 sprea\$4 near4 sheet\$3)) same (non\$4 near5 | USPAT: | 2003/10/16 14:40 |
| - | '0 | relational near5 database\$2) | US-PGPUB; | 2003/10/10 14.40 |
| | | Telational flears database \$2) | | |
| | : | | EPO; JPO; | |
| | | | DERWENT; | |
| | _ | automaticat near readerts near Ferentiants | IBM_TDB | 2002/40/40 44.47 |
| - | 0 | automatic\$4 near5 reorder\$3 near 5operation\$4 | USPAT; | 2003/10/16 14:47 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 0000404045 |
| - | 5 | automatic\$4 near5 reorder\$3 near5 operation\$4 | USPAT; | 2003/10/16 15:09 |
| | | | US-PGPUB; | |
| - | | | EPO; JPO; | |
| } | | | DERWENT; | |
| İ | | | IBM_TDB | |
| - | 2 | 5943668.pn. | USPAT; | 2003/10/16 15:10 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | | IBM_TDB | |
| - | 2 | 5978796.pn. | USPAT; | 2003/10/16 15:10 |
| | 1 | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | 1 | | DERWENT; | |
| | 1 | | IBM_TDB | |
| - | 61 | (database\$2 near5 (quer\$3 search\$3)) and (result\$4 | USPAT; | 2004/01/06 16:33 |
| | 1 | output\$4 data) near5 stor\$3 near5 non\$3 near5 relation\$4 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | | IBM_TDB | |
| - | 13 | ((database\$2 near5 (quer\$3 search\$3)) and (result\$4 | USPAT; | 2004/01/06 16:33 |
| | 1 | output\$4 data) near5 stor\$3 near5 non\$3 near5 relation\$4) | US-PGPUB: | |
| | 1 | and (spread near5 sheet\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | | IBM TDB | |
| - | 102 | (relation\$2 near5 quer\$4) same (non\$3 near5 relation\$4 | USPAT; | 2004/01/06 16:33 |
| | | near5 quer\$3) | US-PGPUB; | |
| | 1 | | EPO; JPO; | |
| | | | DERWENT; | |
| | [| | IBM TDB | |
| L | J | L | | L |

| - | 13 | ((relation\$5 near5 quer\$4) same (non\$3 near5 relation\$4 near5 quer\$3)) and ((multi\$5 near5 dimension\$1) (spread | USPAT; US-PGPUB; | 2004/01/06 16:33 |
|---|--------|--|--|------------------|
| | | near5 sheet\$1)) | EPO; JPO; DERWENT; IBM_TDB | |
| - | 13 | ((relation\$4 near5 quer\$5) same (non\$3 near5 relation\$4 near5 quer\$3)) and ((multi\$5 near5 dimension\$1) (spread near5 sheet\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 94 | ((relation\$4 near5 quer\$5) same (non\$3 near5 relation\$4 near5 quer\$3)) and (multi\$5 (spread near5 sheet\$1)) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 115253 | retriev\$4 near6 data relation\$4 near5 database\$1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 66 | (retriev\$3 near3 data relation\$4 near5 database\$1) same (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 database\$1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 66 | (retriev\$34 near3 data relation\$4 near5 database\$1) same (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 database\$1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 4 | (database\$1 near4 conver\$4) same (relation\$4 near10 non\$4 near5 relation\$4) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:34 |
| - | 68 | (retriev\$3 near3 data relation\$4 near5 database\$1) and (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 database\$1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 1900 | (quer\$4 search\$4) near4 relation\$3 near5 database\$1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 48 | (retriev\$4 near4 data relation\$4 near5 database\$1) and ((convert\$3 sav\$3 stor\$3) near5 data near5 spread\$6 near5 sheet\$1) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 143 | ((quer\$4 search\$4) near4 relation\$3 near5 database\$1) and ((stor\$3 sav\$3) near9 array\$1) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 0 | (((quer\$4 search\$4) near4 relation\$3 near5 database\$1) and ((stor\$3 sav\$3) near9 array\$1)) and (spread\$2 near4 sheet\$1) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:35 |
| - | 147386 | retriev\$4 near4 data relation\$4 near5 (database\$1 structure\$1) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/06 16:35 |

| | _ | | | |
|---|-------|---|--|------------------|
| - | 68 | (retriev\$4 near4 data relation\$4 near5 database\$1) and (stor\$3 sav\$3) near3 data near9 non\$4 near5 relation\$4 near3 | USPAT; US-PGPUB; | 2004/01/06 16:35 |
| | | database\$1 | EPO; JPO; DERWENT; IBM_TDB | |
| - | 1900 | (quer\$4 search\$4) near4 relation\$3 near5 database\$1 | USPAT; US-PGPUB; | 2004/01/06 16:35 |
| | | | EPO; JPO; DERWENT; IBM TDB | |
| - | 0 | ((retriv\$4 quer\$4 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 (spread\$4 near5 sheet\$3)) | USPAT; US-PGPUB; | 2004/01/06 16:35 |
| | | | EPO; JPO; DERWENT; IBM_TDB | |
| - | 24 | ((retriv\$4 quer\$3 search\$4 sql) near5 database\$1) same ((stor\$3 sav\$3) near5 non\$4 near3 relation\$4) | USPAT; US-PGPUB; EPO; JPO; | 2004/01/06 16:35 |
| _ | 153 | (((retriv\$4 quer\$3 search\$4 sql) near5 database\$1) and | DERWENT; IBM_TDB USPAT; | 2004/01/06 16:35 |
| | | ((stor\$3 sav\$3) near5 (spread\$7))) and (array\$3) | US-PGPUB; EPO; JPO; DERWENT; | |
| - | 110 | ((quer\$4 search\$4) near3 relation\$3 near5 database\$1) and ((stor\$3 sav\$3) near9 array\$1) | IBM_TDB USPAT; US-PGPUB; | 2004/01/06 16:36 |
| | | | EPO; JPO; DERWENT; IBM_TDB | |
| - | 55 | (((sav\$3 stor\$3) near3 (data information) near5 non\$4 near5 (relation\$4 structure\$2)) and ((database\$1 near5 (quer\$3 search\$3)))) AND (array\$3 dimension\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/01/06 16:36 |
| - | 0 | auotmatic\$4 near5 (input\$4 typ\$4) near5 correct\$4 | IBM_TDB USPAT; US-PGPUB; | 2004/01/07 10:08 |
| | | | EPO; JPO; DERWENT; IBM_TDB | |
| - | 1927 | automatic\$4 near5 (input\$4 typ\$4) near5 correct\$4 | USPAT; US-PGPUB; EPO; JPO; | 2004/01/07 10:08 |
| _ | 92733 | (input\$4 typ\$4) near5 correct\$4 | DERWENT; IBM_TDB USPAT; | 2004/01/07 10:08 |
| | | | US-PGPUB; EPO; JPO; DERWENT; | |
| - | 0 | (automatic\$4 near5 (input\$4 typ\$4) near5 correct\$4) same (correct\$3 near5 confidenc\$3) | IBM_TDB USPAT; US-PGPUB; | 2004/01/07 10:09 |
| | ! | | EPO; JPO; DERWENT; IBM_TDB | |
| - | 0 | (automatic\$4 near5 (input\$4 typ\$4) near5 correct\$4) same (correct\$3 near5 confiden\$5) | USPAT; US-PGPUB; EPO; JPO; | 2004/01/07 10:09 |
| - | 3 | (automatic\$4 near5 (input\$4 typ\$4) near5 correct\$4) and | DERWENT; IBM_TDB USPAT; | 2004/01/07 10:09 |
| | | (correct\$3 near5 confiden\$5) | US-PGPUB; EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |